

DESIGN REPORT
Sedimentation Structure
J3-F
Black Mesa Mine
Navajo County, Arizona
for
PEABODY COAL COMPANY



Dames & Moore
10139-011-22

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
INSPECTION	1
SITE DESCRIPTION	2
LAND USE	2
EMBANKMENT	2
DESIGN ANALYSES	2
GENERAL	2
STABILITY	3
HYDROLOGY	3
HYDRAULICS	4
Spillway Channel	6
Outflow Channel	6
STORAGE CAPACITY	7
APPENDIX A - HYDROLOGY AND HYDRAULIC CALCULATIONS	

INTRODUCTION

Sedimentation Structure J3-F will be an earthen embankment, designed and constructed by Peabody Coal Company as a temporary sedimentation structure to control runoff and sediment from the proposed mine airport at the Black Mesa Mine. The location of Structure J3-F is shown on Plate 1, Site Plan.

This design report contains information specific to Structure J3-F. Regional site information is presented in the "General Report, Kayenta and Black Mesa Mines, Navajo County, Arizona for Peabody Coal Company," along with the methods and results of analyses used for slope stability, hydrology and hydraulics.

INSPECTION

The proposed site of Structure J3-F was inspected by a senior geotechnical engineer from Dames & Moore in October, 1985 to ensure that the site is suitable and no adverse conditions exist to prevent the successful construction of the structure. A detailed geotechnical investigation was not performed.

SITE DESCRIPTION

LAND USE

Structure J3-F has a 62.0-acre tributary drainage area and is located near Coal Mine Wash at the Black Mesa Mine. The watershed is classified as 34% reclaimed, 28% disturbed, 25% Pinion/Juniper, and 13% Sagebrush/grass.

EMBANKMENT

A homogeneous earthen embankment was assumed for the hydraulic analysis and to develop the volume-elevation curve shown on Plate 2. Upstream and downstream slopes of 2:1 and 3:1 (horizontal to vertical), respectively, were used. The assumed slopes were not evaluated for geotechnical considerations such as slope stability since the foundation or embankment material types have not been determined.

DESIGN ANALYSES

GENERAL

Structure J3-F was designed by an interdisciplinary team of engineers from Dames & Moore. The design was performed in accordance with applicable 30 CFR 780 and 816 regulations of the United States Department of Interior, Office of Surface Mining (OSM) and included a review of available project files. The most current information contained in the Peabody Coal

Company files includes topographic maps developed from aerial photography flown in 1985 for Peabody Coal Company and was used in the analyses of the structure.

STABILITY

The slopes of Structure J3-F will be chosen based on the stability analyses performed for existing structures in the General Report. The embankment fill materials and the type of foundation will be identified in the field and the stable slopes chosen based on the category classification of the structure.

HYDROLOGY

The hydrologic analysis was completed using the U.S. Army Corps of Engineers generalized computer program HEC-1, Flood Hydrograph Package. Structure J3-F is not in series with any other structure and therefore the spillway was analyzed using the 25-year, 6-hour storm. The storage capacity of Structure J3-F was analyzed using the 10-year, 24-hour storm.

The following parameters were used in the hydrologic analysis:

1. Water Course length, L 0.88 mi
2. Elevation Difference, H 75 ft
3. Time of Concentration, T_c 0.425 h
4. Lag time, 0.6T_c 0.255 h
5. SCS Curve Number 85
6. Rainfall Depth, 10-year, 24-hour storm . 2.1 in.
25-year, 6-hour storm . . 1.9 in.
7. Drainage Area 62.0 acres

HYDRAULICS

The HEC-1 program was used to evaluate inflow to the planned sedimentation structure, outflow from the structure and the resulting water surface elevations. The initial conditions and results of the analysis are summarized in the following table.

J3-F HYDRAULICS

Units	10-year 24-hour Storm	25-year 6-hour Storm
Initial Reservoir Volume		
Condition	Empty	Full to the spillway elevation
Inflow		
Peak Flow cfs	57	65
Volume acre-ft	4.39	3.51
Storage		
Peak Stage ft	6502.09	--
Spillway Elevation . . . ft	6505.00	--
Peak Storage acre-ft	4.41	--
Storage Capacity . . . acre-ft	7.64	--
Outflow		
Peak Flow cfs	0	4
Embankment Crest		
Elevation ft	--	6507.00
Peak Stage ft	--	6505.93
Freeboard ft	--	1.07
Spillway Channel		
Flow Depth ft	--	0.93
Critical Velocity. . . . fps	--	2.0
Manning's "n"	--	0.035
Outflow Channel		<u>Section I</u> <u>Section II</u>
Slope %	--	5 14
Normal Velocity. . . . fps	--	2.3 3.1
Normal Depth ft	--	0.012 0.09
Manning's "n"	--	0.035 0.035

Spillway Channel

The spillway for J3-F will be a trapezoidal channel with the following dimensions:

Channel depth	2 ft
Channel width	15 ft
Channel length	40 ft
Side slopes (horizontal to vertical). .	3:1
Average exit slope	0 percent

Outflow Channel

The outflow channel for Structure J3-F will be a trapezoidal channel with the following dimensions:

Channel width	15 ft
Channel length	250 ft
Side slopes (horizontal to vertical). .	3:1
Slope	5-14 percent

The alignment of the spillway and outflow channel are shown on Plate 1. The channel profile is shown on Plate 3 and the required dimensions are shown on Plate 4. Both the spillway and outflow channel should be protected against erosion using geotextile and gravel as shown on Plate 4.

STORAGE CAPACITY

The impoundment volume-elevation curve shown on Plate 2, Volume-Elevation Curve, J3-F is based on site specific topographic data developed for Peabody Coal Company in 1985, and 1985 site specific surveys, where available.

The calculations for the sediment load entering Structure J3-F were made utilizing the Universal Soil Loss Equation with the following parameters:

1. Rainfall Factor, R 40
2. Soil Erodibility Factor, K 0.34
3. Slope Factor, LS 1.07
4. Cover Factor, C 0.383
5. Erosion Control Factor, P 1.0

The hydrologic analysis gives the storage volume required to contain the 10-year, 24-hour storm, and the remaining storage volume available for storing sediment. The storage capacity of J3-F is shown on Plate 2, Volume-Elevation Curve, J3-F, and the results of the sediment inflow analysis are summarized in the following table.

J3-F STORAGE

Total Storage Capacity	7.64	acre-ft
10-year, 24-hour Storm Inflow	4.39	acre-ft
Available Sediment Storage Capacity . .	3.23	acre-ft
Sediment Inflow Rate	0.152	acre-ft/yr
Sediment Storage Life	21	yrs

* * *

The following plates and appendix are attached and complete this design report.


Plate 1 - Site Plan J3-F


Plate 2 - Volume-Elevation Curve J3-F

Plate 3 - Channel Profile J3-F, A-A'


Plate 4 - Spillway and Outflow Channel Cross Section J3-F

Appendix A - Hydrology and Hydraulic Calculations






VOLUME-ELEVATION
CURVE
J3-F



CHANNEL PROFILE A-A'
J3-F

SCALE
0 200 400
FEET



**SPILLWAY AND
OUTFLOW CHANNEL
CROSS SECTION
J3-F**

APPENDIX A
HYDROLOGY AND HYDRAULIC CALCULATIONS

TIME OF CONCENTRATION

ELEVATION DIFFERENCE = 75'

WATER COURSE LENGTH = 4635 = .88 mi

$$T_c = \frac{1.05}{423} \text{ hr}$$

$$\text{Lag Time} = 0.6 T_c = \frac{1.05}{6.8} = .154 \text{ hr}$$

REVISIONS
BY _____ DATE _____ TO EO _____
BY _____ DATE _____ TO EO _____

SCS CURVE NUMBER

DRAINAGE AREA (ac)	COVER TYPE	HYDROLOGIC CONDITION	SOIL TYPE	WEIGHTED CURVE NUMBER
17.4	disturbed (runway)	—	C	92 (.28)
21.2	reclaimed (pre law)	—	—	87 (.34)
8.0	S-G	ave	C	73 (.13)
15.4	P-J	ave	C	78 (.25)
				89.33

use 85

DATE 11/5/85
 CHECKED BY BHM
 COPY TO EO

DRAINAGE BASIN AREA

62.0 ACRE 0.097 SQ MILE

UNIVERSAL SOIL LOSS EQUATION

RAINFALL FACTOR

$$R = 40$$

SOIL ERODIBILITY FACTOR

SOIL TYPE =	62% EH #35	.62 (.42)
	38% EH #32	.38 (.21)
		<u>0.34</u>

$$K = \underline{.34}$$

SLOPE FACTOR

LENGTH (ft.)	Δ ELEV (ft.)	SLOPE (%)	LS
400	20	5.0	<u>.904</u> 1.07

COVER FACTOR

AREA (ac)	COVER TYPE	% COVER	CANOPY (%)	WEIGHTED C
28%	disturbed	—	—	.28 (1.0)
34%	reclaimed	—	—	.34 (.15)
13%	S-G	40	25	.13 (.13)
25%	P-J	40	25	.25 (.14)
				<u>0.383</u>

EROSION CONTROL FACTOR

$$P = 1.0$$

SEDIMENT INFLOW

$$A = 40 (.34) \cancel{(.904)} \cancel{(1.07)} (0.383)(1.0) = \frac{4.71}{5.51} \text{ ton/acre/year}$$

$$A = 4.71 \left(\frac{1}{5.51} \right) (62.0)(.9) = \frac{152}{128} \text{ acre-feet/year}$$

Dames & Moore

REVISIONS
BY _____ DATE _____ TO EO _____
BY _____ DATE _____ TO EO _____

DATE 11/5/85
CHECKED BY BHM
COPY TO EO