

DEC 23 2004



PEABODY WESTERN COAL COMPANY

For

Navajo County, Arizona

Kayenta Mine

N9-K

Temporary Sedimentation Structure

DESIGN REPORT

TABLE OF CONTENTS

Page

INTRODUCTION	1
INSPECTION	1
SITE DESCRIPTION	2
LAND USE	2
DESIGN ANALYSES	2
GENERAL	2
STABILITY	2
HYDROLOGY	3
HYDRAULICS	4
EMERGENCY SPILLWAY AND OUTLET CHANNEL	6
STORAGE CAPACITY	6

APPENDIX A	-Hydrology, Hydraulic and Sedimentation Calculations
APPENDIX B	-SEDCAD4 (Input and Output) 10-Year, 24-Hour Storm Event
APPENDIX C	-SEDCAD4 (Input and Output) 25-Year, 6-Hour Storm Event
EXHIBIT # 1	-N9-K Proposed Sedimentation Pond

The construction site of the proposed Structure N9-K was inspected in October, 2004 by a Registered Professional Engineer from Woodson Engineering, to assure that the site is suitable and no adverse conditions exist to prevent the successful construction of this structure. A detailed geotechnical investigation was not performed; rather, the information in Chapter 6, Attachment D was utilized for embankment design and will be utilized during construction to construct a stable embankment.

INSPECTION

This design report contains information specific to Structure N9-K. Mine-wide design, construction, and reclamation information is presented in the "General Report, Kayenta and Black Mesa Mines, Navajo County, Arizona, for Peabody Western Coal Company", December, 1985 (PAP), Chapter 6, Attachment D, Volume 2, along with the methods and results of analyses used for slope stability, hydrology, and hydraulics, and in Chapter 6, Pages 11 to 42, "Sediment and Water Control Facility Plan".

The site-specific general construction plans are shown on the attached Exhibit 1. Sedimentation Structure N9-K will be an earthen embankment, designed and constructed by Peabody Western Coal Company (PWCC) as a temporary sedimentation structure to control runoff and sediment from portions of the N9 disturbed surface mining area at the Kayenta Mine. The location of Structure N9-K and its watershed boundary are shown on Drawing No. 85400, (Sheet K-6), and Drawing No. 85405.

INTRODUCTION

SITE DESCRIPTION

LAND USE

The N9-K Structure has a watershed of 27.80 acres and is located on a tributary upstream of Yazzie Wash at the Kayenta Mine. The 27.80-acre watershed, which contributes directly to structure N9-K, is classified as 48% undisturbed and 52% spoil.

DESIGN ANALYSES

GENERAL

Structure N9-K was designed under the supervision of a Registered Professional Engineer from Peabody Western Coal Company. The design was performed in accordance with applicable 30 CFR 780 and 816 regulations of the United States Department of Interior, Office of Surface Mining (OSM) and included a review of available project files. The most current information contained in the Peabody Western Coal Company files includes topographic maps developed from aerial photography flown in 1983 for Peabody Western Coal Company and was used in the analyses of the structure.

STABILITY

Structure N9-K is assumed to be a Category A-3 embankment. The structure will be a homogeneous earthen embankment, compacted in lifts to design specifications, and approximately 15 feet wide on top. A minimum upstream slope of 1.5H: 1V and minimum downstream slope of 2.5H: 1V were assumed. Based on the total embankment height of approximately 5 feet, these slopes are equal to or flatter than the recommended "worst case" embankment/foundation condition slopes in Table 3-6, Attachment D, Chapter 6; therefore, the embankment will be stable. The emergency spillway will be a minimum 15-foot wide, riprap-lined, trapezoidal channel.

HYDROLOGY

The hydrologic analysis was completed using the computer program SEDCAD4 (see Appendices A, B, and C). Structure N9-K is classified as a low hazard structure (see Drawing No. 85408). In addition, the mine area is sparsely populated with no one living in the downstream floodplain. The structure will impound less than 20 acre-feet and be less than 20 vertical feet in height from the upstream toe of the embankment of the natural stream elevation to the emergency spillway invert elevation. The structure has capacity less than 20 acre-feet; therefore, the spillway was analyzed using the 25-year, 6-hour storm event. The structure was conservatively assumed to be full to the emergency spillway at the time of 25-year storm event. The storage capacity of structure N9-K was analyzed using the 10-year, 24-hour storm event. The pond was verified to completely contain the 10-year, 24-hour storm event, and provide adequate sediment storage volume, without discharging into Yazzie Wash.

The following parameters were used in the hydrologic analysis:

1.	Water Course length, L	0.363 mi.
2.	Elevation Difference, H	160 ft
3.	Time of Concentration, T _c	0.114 hr
4.	NRCS Curve Number	76
5.	Rainfall Depth, 10-year, 24-hour storm 25-year, 6-hour storm	2.1 in 1.9 in
6.	Drainage Area	27.80 acres

Values reported represent the watershed, which drains directly to Pond N9-K.

HYDRAULICS

The SEDCAD4 and HYDROCALC computer programs were used to evaluate inflow to the sedimentation structure, outflow from the structure and the resulting water surface elevations. The initial conditions and results of the analysis are summarized in the following table (supporting calculations are presented in Appendices A, B, and C):

N9-K SEDIMENTATION POND HYDRAULICS TABLE

	Units	10-Yr, 24-Hr Storm	25-Yr, 6-Hr Storm
Initial Reservoir Volume Condition		Empty	Full to emergency spillway
Inflow			
Peak Flow	cfs	15.07	18.96
Volume	ac-ft	1.08	0.84
Storage			
Peak Stage	msl	N/A	6681.2
Emerg. Spillway Elev.	msl	6681.0	6681.0
Peak Storage	ac-ft	N/A	5.50
Storage Capacity	ac-ft	5.25	5.25
Outflow			
Peak Flow	cfs	N/A	6.81
Spillway Elevation	msl	6681.0	6681.0
Embankment Crest Elev.	msl	6685.0	6685.0
Peak Stage	msl	--	6681.2
Freeboard	ft	--	3.8
Emergency Spillway Channel			
Flow Depth	ft	--	0.2
Critical Velocity	fps	--	3.98
Mannings "n"	--	--	0.048
Width	ft	--	15
Outflow Channel			
Slope	%	--	25
Normal Velocity	fps	--	4.88
Normal Depth	ft	--	0.25
Mannings "n"	--	--	0.058
Riprap Dia.	in	--	3

1.	Rainfall Factor, R	40
2.	Soil Erodibility Factor, K	0.11
3.	Slope Factor, LS	12.70
4.	Cover Factor, C	0.62
5.	Erosion Control Factor, P	0.87

Soil Loss Equation with the following parameters:

The calculations for the sediment load entering structure N9-K were made utilizing the Revised Universal

acre-feet.

The impoundment stage-capacity table (see Exhibit 1) is based on the 1983 aerial topographic mapping conducted for Peabody Western Coal Company. Structure N9-K is designed to contain approximately 5.25

STORAGE CAPACITY

transition into the downstream channel.

A minimum 15-foot long triprap-lined channel will be constructed beyond the toe of the embankment as a

Minimum Channel Depth	(Spillway)	2.0	ft
Channel Width		15	ft
Channel Length	(Spillway)	46	ft
	(Outflow)	53	ft
Slopes (Horizontal to Vertical)		3:1	or flatter
Average Slope	(Spillway)	0	%
Maximum Slope	(Outflow)	25	%
Spillway Elevation		6681.0	ft

below. The alignment and dimensions are shown on Exhibit 1.

The emergency spillway and outlet channel for N9-K will be a trapezoidal channel with dimensions listed

EMERGENCY SPILLWAY AND OUTLET CHANNEL

Exhibit #1 - N9-K Proposed Sedimentation Pond

Appendix C- SEDCAD4 (Input and Output) 25-Year, 6-Hour Storm Event

Appendix B- SEDCAD4 (Input and Output) 10-Year, 24-Hour Storm Event

Appendix A- Hydrology, Hydraulic, and Sedimentation Calculations

The following appendices and drawing are attached and complete this design report.

* * *

N9-K	
Total Storage Capacity (ac-ft)	5.25
10-Year, 24-Hour Storm Inflow (ac-ft)	1.08
Available Sediment Storage Capacity (ac-ft)	4.17
Sediment Inflow Rate/Year (ac-ft/yr)	0.37
Sediment Storage Life (yr)	11.3

Storage for Structure N9-K

The hydrologic analysis gives the storage volume required to contain the 10-year, 24-hour storm, and the remaining storage volume available for storing sediment. Structure N9-K has sufficient storage capacity to contain the 10-year, 24-hour storm event. The storage capacity was determined for N9-K Structure and the results of the analysis are presented in the following table.

Hydrology, Hydraulic, and Sedimentation Calculations

APPENDIX A

**PEABODY WESTERN COAL COMPANY
CALCULATED HYDROLOGIC DATA**

PROJECT: N-9 MINING AREA

STRUCTURE: K

TIME OF CONCENTRATION:

Start Elevation (ft) = 6835
 End Elevation (ft) = 6675
 Elevation Difference, E (ft) = 160

Watercourse Length (ft) = 1918

Watercourse Length (mi) = 0.363

$T_c = (1.49L^{0.76}/E^{0.385}) =$

0.114 hours

ROUTING PARAMETERS:

Between structure routing parameters were calculated using the SCS Upland method in SEDCAD4. Input and output parameters are shown on the SEDCAD4 printouts in Appendices C.

SCS CURVE NUMBER:

Cover Type	Soil Group	Curve Number	Area (acres)	CN*Area
Pinyon Juniper	B	65	5.786	376.09
Sagebrush	B	60	6.189	371.34
Distrubed Land	B	86	15.829	1361.294
TOTAL:				2108.724

Weighted CN = Total CN * Area / Total Area =

76

Note: During Operations the open pit will collect most of the runoff from disturbed areas. The worst case is when the open pit is reclaimed and runoff from a larger area or regraded soil reports directly to the pond.

DRAINAGE BASIN AREA:

27.804 Acres

PEABODY WESTERN COAL COMPANY
CALCULATED SEDIMENTOLOGY DATA

STRUCTURE: K

SOIL ERODIBILITY FACTOR:

Soil Type	Erodibility Factor, K	Area	K*Area
13A	0.37	1.971	0.73
16F	0.05	9.856	0.49
16CE	0.05	1.437	0.07
Disturbed	0.12	14.54	1.74
TOTAL		27.804	3.04

Weighted K = Total K * Area / Total Area =

0.11

SLOPE FACTOR:

Length (ft)	Slope (%)	m	Slope Angle (deg)	LS Factor
526	26.24%	0.60	14.7	12.35
752	23.27%	0.60	13.1	13.45
892	19.62%	0.60	11.1	12.32

Average LS = 12.70

The LS Factor was calculated by:

$LS = (\text{Slope Length} / 72.6) \sqrt{m} * (10.8 \sin(\text{slope angle}) + 0.03)$ for slopes < 9%
 $LS = (\text{Slope Length} / 72.6) \sqrt{m} * (16.8 \sin(\text{slope angle}) - 0.5)$ for slopes > 9%

Where:

- Slope < 3% m = 0.3
- Slope = 4% m = 0.4
- 5% > Slope < 10% m = 0.5
- Slope > 10% m = 0.6

STRUCTURE: K

Cover and Practice Factors:

Cover Type	Cover (%)	Canopy (%)	Area (acres)	Cover Factor, C	C * Area	Practice Factor, P	P * Area
Pinyon Juniper	40%	25%	5.786	0.22	1.27	1.00	5.786
Sagebrush, Grass	40%	25%	6.189	0.2	1.24	1.00	6.189
Saltbrush	40%	25%	0	0.2	0.00	1.00	0
Reclaimed	40%	25%	1.289	0.15	0.19	0.40	0.5156
Disturbed	0%	0%	14.54	1	14.54	0.80	11.632
TOTAL:			27.804		17.24		24.12

Weighted C = Total C * Area / Total Area = 0.62
 Weighted P = Total P * Area / Total Area = 0.87

RAINFALL FACTOR:
 R = 40

**PEABODY WESTERN COAL COMPANY
CALCULATED SEDIMENT YIELD
STRUCTURE: K**

The following spreadsheet calculates the predicted sediment yield for the project area. The gross sediment yield is determined according to the Revised Universal Soil Loss Equation.

PARAMETER DESCRIPTION	VALUE
Annual Rainfall Factor (R)	40.00
Soil Erodibility Factor (K)	0.11
Length Slope Factor (L)	12.70
Cover Factor(C)	0.62
Practice Factor (P)	0.87
Gross Annual Sediment Yield	29.89 tons/acre/year
Sediment Density	94.00 pcf
Gross Annual Sediment Yield	0.0146 acre-feet/acre/year
Sediment Delivery Ratio	90%
Estimated Annual Sediment Yield	0.0131 acre-feet/acre/year
Watershed Area	27.80 acres
Watershed Annual Sediment Yield	0.37 acre-feet/year
Number of Years	1.00 years
Calculated Sediment Volume	0.37 acre-feet

TRAPEZOIDAL CHANNEL ANALYSIS
 N9-K POND
 November 11, 2004

PROGRAM INPUT DATA

DESCRIPTION	VALUE
Flow Rate (cfs).....	18.96
Channel Bottom Slope (ft/ft).....	0.005
Manning's Roughness Coefficient (n-value).....	0.048
Channel Left Side Slope (horizontal/vertical).....	3.0
Channel Right Side Slope (horizontal/vertical).....	3.0
Channel Bottom Width (ft).....	6.0

COMPUTATION RESULTS

DESCRIPTION	VALUE
Critical Depth (ft).....	0.61
Critical Slope (ft/ft).....	0.0437
Flow Velocity (fps).....	3.98
Froude Number.....	1.0
Velocity Head (ft).....	0.25
Energy Head (ft).....	0.85
Cross-Sectional Area of Flow (sq ft).....	4.76
Top Width of Flow (ft).....	9.65

HYDROCALC Hydraulics for Windows, Version 1.2 Copyright (c) 1996
 Dodson & Associates, Inc., 5629 FM 1960 West, Suite 314, Houston, TX 77069
 Phone:(281)440-3787, Fax:(281)440-4742, Email:software@dodson-hydro.com
 All Rights Reserved.

N9-K POND OUTFLOW CHANNEL

Material: Riprap

Trapezoidal Channel

Freeboard Mult. x (VxD)	Freeboard % of Depth	Freeboard (ft)	Slope (%)		
			Right Sideslope	Left Sideslope	Bottom Width (ft)
		1.00	25.0	3.0:1	15.00
				3.0:1	
				3.0:1	
				25.0	

PADER Method - Steep Slope Design

w/o Freeboard	Design Discharge:	18.96 cfs
	Depth:	0.25 ft
	Top Width:	16.48 ft
	Velocity:	4.88 fps
	X-Section Area:	3.88 sq ft
	Hydraulic Radius:	0.234
	Froude Number:	1.77
	Manning's n:	0.0580
	Dmin:	2.00 in
	D50:	3.00 in
	Dmax:	4.50 in

SEDCAD4 (Input and Output) 10-Year, 24-Hour Storm Event

APPENDIX B

Gary Altsisi

Peabody Western Coal
Kayenta Mine
N9-K POND DESIGN
10YR 24HR STORM

General Information

Storm Information:

Storm Type:	NRCS Type II
Design Storm:	10 yr - 24 hr
Rainfall Depth:	2.100 inches

Structure Summary:

Immediate Contributing Area (ac)	Total Contributing Area (ac)	Peak Discharge (cfs)	Total Runoff Volume (ac-ft)
27.800	27.800	15.07	1.08

Subwatershed Hydrology Detail:

Stru #	SWS #	SWS Area (ac)	Time of Conc (hrs)	Musk K (hrs)	Musk X	Curve Number	UHS	Peak Discharge (cfs)	Runoff Volume (ac-ft)
#1	1	27.800	0.114	0.000	0.000	76.000	F	15.07	1.080
Σ		27.800						15.07	1.080

SBDGAD4 (Input and Output) 25-Year, 6-Hour Storm Event

APPENDIX C

Peabody Western Coal
Kayenta Mine
N9-K POND DESIGN
25YR 6HR STORM

Gary Altisi

General Information

Storm Information:


Storm Type:	NRCS Type II
Design Storm:	25 yr - 6 hr
Rainfall Depth:	1.900 inches

Subwatershed Hydrology Detail:

Stru #	SWS #	SWS Area (ac)	Time of Conc (hrs)	Musk K (hrs)	Musk X	Curve Number	UHS	Peak Discharge (cfs)	Runoff Volume (ac-ft)		
#1	1	27.800	0.114	0.000	0.000	76.000	F	18.96	0.842		
		Σ 27.800								18.96	0.842

Structure Networking:

Type	#	Stru (flows Into)	#	Musk. K (hrs)	Musk. X	Description
Pond	# 1	>=	End	0.000	0.000	



Structure Summary:

	Immediate Contributing Area (ac)	Total Contributing Area (ac)	Peak Discharge (cfs)	Total Runoff Volume (ac-ft)
# 1	27.800	27.800	18.96	0.84
In				0.84
Out			6.81	0.84

Structure Detail:

Structure #1 (Pond)

Pond Inputs:

Initial Pool Elev:	6,681.00
Initial Pool:	5.25 ac-ft

Emergency Spillway

Spillway Elev	6,681.00	Crest Length	39.00	Left	3.00:1	Right	3.00:1	Bottom	15.00
		(ft)		Sideslope		Sideslope		Width (ft)	

Pond Results:

Peak Elevation:	6,681.21
Dewater Time:	0.22 days

Dewatering time is calculated from peak stage to lowest spillway

Elevation-Capacity-Discharge Table

Elevation	Area (ac)	Capacity (ac-ft)	Discharge (cfs)	Dewater Time (hrs)
6,675.00	0.767	0.000	0.000	0.000
6,675.50	0.781	0.387	0.000	0.000
6,676.00	0.795	0.781	0.000	0.000
6,676.50	0.809	1.182	0.000	0.000
6,677.00	0.824	1.590	0.000	0.000
6,677.50	0.838	2.006	0.000	0.000
6,678.00	0.853	2.429	0.000	0.000
6,678.50	0.868	2.859	0.000	0.000
6,679.00	0.883	3.297	0.000	0.000
6,679.50	0.898	3.742	0.000	0.000
6,680.00	0.913	4.195	0.000	0.000
6,680.50	1.049	4.685	0.000	0.000
6,681.00	1.194	5.245	0.000	Spillway #1
6,681.21	1.162	5.496	6.811	5.35 Peak Stage
6,681.50	1.209	5.846	16.328	
6,682.00	1.224	6.454	32.656	
6,682.50	1.239	7.070	74.196	
6,683.00	1.254	7.693	126.899	

Elevation	Area (ac)	Capacity (ac-ft)	Discharge (cfs)	Dewater Time (hrs)
6,685.00	1.314	10.260	495.907	
6,684.50	1.299	9.607	373.724	
6,684.00	1.284	8.961	274.211	
6,683.50	1.269	8.323	190.136	

Detailed Discharge Table

Combined	Total	Emergency	Spillway (cfs)	Discharge (cfs)
6,675.00	0.000	0.000	0.000	0.000
6,675.50	0.000	0.000	0.000	0.000
6,676.00	0.000	0.000	0.000	0.000
6,676.50	0.000	0.000	0.000	0.000
6,677.00	0.000	0.000	0.000	0.000
6,677.50	0.000	0.000	0.000	0.000
6,678.00	0.000	0.000	0.000	0.000
6,678.50	0.000	0.000	0.000	0.000
6,679.00	0.000	0.000	0.000	0.000
6,679.50	0.000	0.000	0.000	0.000
6,680.00	0.000	0.000	0.000	0.000
6,680.50	0.000	0.000	0.000	0.000
6,681.00	0.000	0.000	0.000	0.000
6,681.50	16.328	16.328	32.656	16.328
6,682.00	32.656	32.656	74.196	32.656
6,682.50	74.196	74.196	126.899	74.196
6,683.00	126.899	126.899	190.136	126.899
6,683.50	190.136	190.136	274.211	190.136
6,684.00	274.211	274.211	373.724	274.211
6,684.50	373.724	373.724	495.907	373.724
6,685.00	495.907	495.907		495.907

Gary Altsisi

Peabody Western Coal
Kayenta Mine
N9-K POND TEMPORARY DIVERSION
DESIGN
100YR 6HR STORM

General Information

Storm Information:

Storm Type:	NRCS Type II
Design Storm:	100 yr - 6 hr
Rainfall Depth:	2.400 inches

Structure Summary:

Immediate Contributing Area (ac)	Total Contributing Area (ac)	Peak Discharge (cfs)	Total Runoff Volume (ac-ft)
5.220	5.220	4.17	0.28
# 1			

Subwatershed Hydrology Detail:

Stru #	SWS #	SWS Area (ac)	Time of Conc (hrs)	Musk K (hrs)	Musk X	Curve Number	UHS	Peak Discharge (cfs)	Runoff Volume (ac-ft)
#1	1	5.220	0.155	0.155	0.313	76.000	F	4.50	0.276
		Σ	5.220					4.17	0.276

Subwatershed Time of Concentration Details:

Stru #	SWS #	Land Flow Condition	Slope (%)	Vert. Dist. (ft)	Horiz. Dist. (ft)	Velocity (fps)	Time (hrs)
#1	1	5. Nearly bare and untilled, and alluvial valley fans	8.13	130.00	1,600.00	2.850	0.155
#1	1	Muskingum K:					0.155

Subwatershed Muskingum Routing Details:

Stru #	SWS #	Land Flow Condition	Slope (%)	Vert. Dist. (ft)	Horiz. Dist. (ft)	Velocity (fps)	Time (hrs)
#1	1	5. Nearly bare and untilled, and alluvial valley fans	8.13	130.00	1,600.00	2.850	0.155
#1	1	Muskingum K:					0.155

w/o Freeboard	4.17 cfs
Design Discharge:	0.65 ft
Depth:	3.88 ft
Top Width:	3.32 fps
Velocity:	1.26 sq ft
X-Section Area:	0.307
Hydraulic Radius:	1.03
Froude Number:	

Bottom Width (ft)	Left Side Slope Ratio	Right Side Slope Ratio	Slope (%)	Manning's n	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)	Limiting Velocity (fps)
0.00	3.0:1	3.0:1	1.5	0.0250	1.00			6.0

Trapezoidal Channel

Material: Shales and hardpans

N9-K POND TEMPORARY DIVERSION