





**PEABODY COAL COMPANY
BLACK MESA – KAYENTA MINE
DRAWING NO. 85305A**


LEGEND


Symbol	Name
1A	Dulce very channery fine sandy loam, 1 to 4 percent slopes
1, 1B	Dulce very channery fine sandy loam, 4 to 8 percent slopes
1C	Dulce very channery fine sandy loam, 8 to 15 percent slopes
1D	Dulce very channery fine sandy loam, 15 to 30 percent slopes
2B	Bond very fine sandy loam, 1 to 8 percent slopes
3A	Zyme – Dulce complex, 2 to 8 percent slopes
3BC	Zyme – Dulce complex, 2 to 15 percent slopes
3C	Zyme – Dulce complex, 6 to 15 percent slopes
3D	Zyme – Dulce complex, 15 to 30 percent slopes
3DE	Zyme – Dulce complex, 15 to 50 percent slopes
3E	Zyme – Dulce complex, 30 to 50 percent slopes
3F	Ustic Torriorthents – Rock outcrop complex, 50 to 80 percent slopes
4A	Zyme very channery loam, 1 to 4 percent slopes
4B	Zyme very channery loam, 4 to 8 percent slopes
4C	Zyme very channery loam, 8 to 15 percent slopes




Symb


- 1A
- 1, 1B
- 1C
- 1D
- 2B
- 3A
- 3B
- 3C
- 3D
- 3DI
- 3E
- 3F
- 4A
- 4B
- 4C
- 4D










3A	Zyme - Dulce complex, 2 to 8 percent slopes
3BC	Zyme - Dulce complex, 2 to 15 percent slopes
3C	Zyme - Dulce complex, 6 to 15 percent slopes
3D	Zyme - Dulce complex, 15 to 30 percent slopes
3DE	Zyme - Dulce complex, 15 to 50 percent slopes
3E	Zyme - Dulce complex, 30 to 50 percent slopes
3F	Ustic Torriorthents - Rock outcrop complex, 50 to 80 percent slopes
4A	Zyme very channery loam, 1 to 4 percent slopes
4B	Zyme very channery loam, 4 to 8 percent slopes
4C	Zyme very channery loam, 8 to 15 percent slopes
4D	Zyme very channery loam, 15 to 30 percent slopes
5	Pulpit very fine sandy loam, 2 to 8 percent slopes
6	Sharps very fine sandy loam, 2 to 8 percent slopes
6A	Sharps very fine sandy loam, 1 to 4 percent slopes
6B	Sharps very fine sandy loam, 4 to 8 percent slopes
6C	Sharps very fine sandy loam, 8 to 15 percent slopes
7B	Travessilla - Zyme - Dulce complex, 2 to 6 percent slopes
7C	Zyme - Travessilla - Rock outcrop complex, 6 to 15 percent slopes
7D	Zyme - Travessilla - Rock outcrop complex, 15 to 30 percent slopes
7E	Zyme - Travessilla - Rock outcrop complex, 30 to 50 percent slopes
10	Cahona very fine sandy loam, bedrock substratum, 2 to 8 percent slopes
10A	Cahona very fine sandy loam, bedrock substratum, 1 to 4 percent slopes
10B	Cahona very fine sandy loam, bedrock substratum, 4 to 8 percent slopes
10C	Cahona very fine sandy loam, bedrock substratum, 8 to 15 percent slopes
11	Cahona very fine sandy loam, 1 to 6 percent slopes
11A	Cahona very fine sandy loam, 1 to 4 percent slopes
11B	Cahona very fine sandy loam, 4 to 8 percent slopes
11C	Cahona very fine sandy loam, 8 to 15 percent slopes
G11B	Cahona very fine sandy loam, gravelly substratum, 2 to 8 percent slopes
X11	Cahona - Cahona, bedrock substratum, very fine sandy loams, 2 to 10 percent slopes
X11A	Cahona - Cahona, bedrock substratum, very fine sandy loams, 1 to 4 percent slopes










10B	Cahona very fine sandy loam, bedrock substratum, 4 to 8 percent slopes
10C	Cahona very fine sandy loam, bedrock substratum, 8 to 15 percent slopes
11	Cahona very fine sandy loam, 1 to 6 percent slopes
11A	Cahona very fine sandy loam, 1 to 4 percent slopes
11B	Cahona very fine sandy loam, 4 to 8 percent slopes
11C	Cahona very fine sandy loam, 8 to 15 percent slopes
G11B	Cahona very fine sandy loam, gravelly substratum, 2 to 8 percent slopes
X11	Cahona - Cahona, bedrock substratum, very fine sandy loams, 2 to 10 percent slopes
X11A	Cahona - Cahona, bedrock substratum, very fine sandy loams, 1 to 4 percent slopes
X11B	Cahona - Cahona, bedrock substratum, very fine sandy loams, 4 to 8 percent slopes
X11C	Cahona - Cahona, bedrock substratum, very fine sandy loams, 8 to 15 percent slopes
12	Begay loam, 2 to 10 percent slopes
12A	Begay loam, 1 to 4 percent slopes
12B	Begay loam, 4 to 8 percent slopes
12C	Begay loam, 8 to 15 percent slopes
13, 13A	San Mateo loam, 0 to 3 percent slopes
14A	Oelop very fine sandy loam, 1 to 4 percent slopes
14B	Oelop very fine sandy loam, 4 to 8 percent slopes
15, 15A	Las Lucas sandy clay loam, 2 to 6 percent slopes
16C	Soil A - Soil B extremely channery very fine sandy loams, 4 to 15 percent slopes
16E	Soil A - Soil B extremely channery very fine sandy loams, 15 to 50 percent slopes
16F	Soil A - Soil B extremely channery very fine sandy loams, 50 to 70 percent slopes
17C	Chilton gravelly fine sandy loam, 6 to 15 percent slopes
DL	Disturbed land
TS	Topsoil stockpile
RW	Riverwash
W	Water





Disturbance boundary
Survey area boundary




Soil sampling site
Mapping unit delineation









MINING AREA
4-21

MATCH LINE SHEET 7

MATCH LINE SHEET

ABC

DL

DL

15

10

15


3DE


10

15

10


15





Soil sampling site
Mapping unit delineation
Moist/dry phase demarcation

Disturbance boundary
Survey area boundary
Crop line



RECEIVED
B.M. PHOENIX DIST. OFF.
PHOENIX, ARIZONA
MAR 03 1985
MAR 03 1985
MAR 03 1985

PEABODY COAL COMPANY
BLACK MESA-KAYENTA MINE
P.O. BOX 625
KAYENTA, ARIZONA 86033

ORDER 1 AND 2 SOIL SURVEY DRG No 85305A SHEET No 8 of 15 DRAWN BY PJN DATE Nov. 85 SCALE 1"=400' C.L. N/A			
PREPARED BY DATE BY DATE	REVISION DESCRIPTION DATE	 INTERNATIONAL MOUNTAIN SOIL, INC.	

